Thursday, 6/29/2006 8:28:01 AM Date: Kim Johnston User: **Process Sheet** : SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** Job Number : 27763 : 10533 **Estimate Number** ·NIA : D2573 Part Number P.O. Number S.O. No. : NA D2573 REV E : 6/29/2006 **Drawing Number** This Issue : NC **Project Number** : N/A Prsht Rev. : MA : MACHINED PARTS **Drawing Revision** First Issue : NIA : 27597 Material ^{*} Previous Run : 7/15/2006 **Due Date** Qty: 16 Um: Each Written By Checked & Approved By Comment Additional Product Job Number: Description: **Machine Or Operation:** Seq. #: **i∂**6101007 7075-T7351 8.25X7.75X2.5 1.0 Comment: Qty.: 1.0000 Each(s)/Unit Total: 16.0000 Each(s) 7075-T7351 8.25X7.75X2.5 Make from D6101-007 billet for D2573 Ensure that grain is along 7.75" length B 33741 x L6 Batch No: HAAS CNC VERTICAL MACHINING #1 2.0 HAAS1 Comment: HAAS CNC VERTICAL MACHINING #1 Program Batch No. BZ7763Double check by: 7 1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets 4-Deburr and remove all machining marks 5-Tumble to remove sharp edges. 16 MILLING CONV. Comment: CONVENTIONAL MILLING MACHINE 16 Machine keyway as per dwg D2573 & D2574 06/07/07 4.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE 06/07/07

Dart Aerospace Ltd

W/O:		WORK ORDER CH	WORK ORDER CHANGES									
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector					
		4-7										

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B	Verification	Ammerical	Annyaval				
DATE	STEP	STEP	Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Section C	Approval Design Mgr	Approval QC Inspector		
				19							
						•					
				•		-					
								·			
			,	·							

Part No:	PAR #:	Fault Category:	NCR:	Yes No DQA:	Date: 02/07/13
NOTE: Date & initial all entries				QA: N/C Closed:	Date:

Thursday, 6/29/2006 8:28:02 AM Date: Kim Johnston User: **Process Sheet** Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Job Number: 27763 Part Number: D2573 Job Number: Seq. #: Description: **Machine Or Operation:** SECOND CHECK 5.0 QC8 Comment: SECOND CHECK 6.0 HAND FINISHING1 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 POWDER COATING POWDER COATING 7.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 8.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT POWDER COAT 9.0 PACKAGING 1 PACKAGING RESOURCE Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 10.0 DC Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CHANG	WORK ORDER CHANGES									
DATE	STEP	PROCEDURE CHANGE				Qty	Approval Mfg / Design Mgr	Approval QC Inspector				
				-3								
					440							

NCR:			WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC	Corrective Action Sec				Annroyal	Approval				
DATE	STEP	Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Verification Section C	Approval Design Mgr	QC Inspector				
	•											
								+				
			<u> </u>	(
		·		·								
						• •	,	2.1				
				•								
					-		-					

Part No:	PAR #:	Fault Category:	NCR:	Yes	No	DQA: _	 Date:	
NOTE: Date & initial all entries				QA: N	I/C C	losed:	 Date:	

DART AEROSPACE LTD	Work Order:	27763
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

				Re	corded Actu	ual Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0.440	0.440	0.440	0.440		
В	1.745	1.755		1-747	1-748	1.746	1. 748		
С	3.495	3.505	·	3-499	3-498	3.498	3.498		
D	1.745	1.755		1-747	1-748	1.746	1.748		
E	7.990	8.010		8.001	8,000		T. 999		
F	0.490	0.510		0-500	8.000	0.498	0.497		
G	0.257	0.262	DT8683	0.758	0.358	0.95g	6.259		
Н	0.375	0.380	DT8684	0.376	0.376	6.376	0.376		
1	0.490	0.510		0.499	0.498	0.502	0.496		
J	1.174	1.184		1.177	1-177	1177	1178		
K	0.558	0.578		0-568	0-568	0.567	0.564		
L	1.174	1.184		1.177	1-177	1.177	1.138		
М	1.365	1.375		1-369	1.368	1.366	1.368		, ,
N	2.495	2.505		2.499	2-498	2.497	2.495		
0	4.119	4.129		4,121	4,122	4.120	4,120		
Р	0.115	0.135		0.130	0-128	0.124	0-124		
Q	0.115	0.135		0.127	0.126	0.135	6.135		
R	0.240	0.260		0-241	0.243	0.252	0.252		
S	0.115	0.135		0-119	161.0	6.123	6.170		
Т	0.178	0.198		0.188	0.188	0.188	D-188		
U	3.210	3.250		3.230	3-230	5.230	3.230		
	0.230	0.250		0.236	0_236	0.2240	6.235		
W	0.115	0.135	,,	0.122	661.0	6.127	6.125		
X	0.308	0.313		0.310	0-310	0.310	0.310		
Υ	0.760	0.765		0-761	0.761	0.765	0-765		
Z	0.352	0.372		0-364	0.761	c. 363	0.365		
AA	0.470	0.530		0.500	0,500	0.500	0.500		
AB	0.615	0.635		0.627	0-627	0.626	0.624		•
AC	0.053	0.073		0.063	6.063	6.863	0.063		
AD	0.240	0.260		0.249	0.249	0.247	0.243		
AE	1.500	1.520		1.519	1-509	1-510	1-511		
AF	0.115	0.135		0.125	0.125	6.135	6,/35		
AG	0.240	0.280	***************************************	0.241	0-247	6.260	0,260		
AH	0.240	0.260		0.245	6-247	0.250	0.245		
ΑI	2.000	2.020		2-001	2.001	100.6	3.002		· · · · · · · · · · · · · · · · · · ·
AJ	0.023	0.043		0 033	0-033	0.033	0.033		************
	Acc	ept/Reje	ct		-	-	_		

Measured by: 3.6/En	Audited by	and
Date: 06/07/04	Date:	06/07/10

Rev	Date	Change	Revised by	Approved
Α		New issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF , ,	1
E	05.12.05	Added dimension AJ	KJ/JLM A	911

DART AEROSPACE LTD	Work Order:	21763
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

Recorded Actual Dimen						ual Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0.441	0.44/	0.44/	0.441		
В	1.745	1.755		1. 245	1.745	1.747	1746		
С	3.495	3.505		3.498	3.500	3-500	3.498		`
D	1.745	1.755		1, 745	1,745	1,747			
Ε	7.990	8.010		8.001	8.602	8.000	7,998		
F	0.490	0.510		0.493	0.493	0.496	0.497		
G	0.257	0.262	DT8683	0.257	0.259	0.259	0.259		
H	0.375	0.380	DT8684	0-317	0.317	2 211			
	0.490	0.510		6.493	0.497	0.499	0498		
J	1.174	1.184		1.175	1474	1.178	4179		
K	0.558	0.578		0.567	0.564	0.564	0.565		
L	1.174	1.184		1.175	1.174	1.178	11179		
М	1.365	1.375		1.266	1365	1.370	1.369		
N	2.495	2.505		2495	2.457	7.498	2.426		
0	4.119	4.129		4.170	4.115	4,170	4.115		
Р	0.115	0.135		0.124	0.125	0.124	0.126		
Q	0.115	0.135		0.135	0.135	0-/35	0.135		
R	0.240	0.260		0.257		6.254	0.254		
S	0.115	0.135			0./18	0.120	6.125		
Т	0.178	0.198		0.188	0.188	0.188	0.188		
U	3.210	3.250		3.230	3.230	3.230	3.539		
V	0.230	0.250		0.233	0.235	0.540	0.237		
W	0.115	0.135	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		0.124	0.125	0.126		
Х	0.308	0.313		0-310		0.310	0.310		
Υ	0.760	0.765	-1-			0.765	0.765		
Z	0.352	0.372		8.361	6.367	0.370	6.367		
AA	0.470	0.530		0.500	6.500	0.500	0.500		
AB	0.615	0.635	- //	0.626	0-624	0.627	0.622		
AC	0.053	0.073		0.063	0.063	0.063	0-063		
AD	0.240	0.260		6.243	6.747	D. 2544	0.746		
AE	1.500	1.520		1.515	1.574	1.515	1.574		
AF	0.115	0.135		0./35	6.135	0-135	0./35		
AG	0.240	0.280		0.260	0.260				
.AH	0.240	0.260		0.244	0.249	0251	0.246		
Al	2.000	2.020		2005	2.003	2.005	7.004		-,
AJ	0.023	0.043		0-630	0.030	6-620	0.030		
	Acc	ept/Reje	ct	6/					4111

Measured by:	£	Audited by	In In
Date:	06167165	Date:	06/02/10

Rev	Date .	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF , ,	- 1
E	05.12.05	Added dimension AJ	KJ/JLM ok	Gill .
,				777

DART AEROSPACE LTD	Work Order:	27763
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

, , ,	;	<u> </u>	*	Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	` 1	2	3	4	Ву	Date
Α ·	0.438	0.443	DT8682	0.441	0.44	6.441	0.44/		
В	1.745	1.755		1.746	1.747	1.747	1.747		
С	3.495	3.505		3.497	3.498	3-497	3-498		
D	1.745	1.755		1,746	1.747		1.747		
E	7.990	8.010		8.001	000.8	8,000	8.001		
F	0.490	0.510		0.499	0.499	0-501	0.499		
G	0.257	0.262	DT8683	0.255	6.255	0.259	0.257		
Н	0.375	0.380	DT8684	0.347	0.377	0.374	0.377		
1	0.490	0.510		0.497	0-498	0.500	0.501		
J	1.174	1.184		11177	1.177	1-180	1-180		
K	0.558	0.578		0.567	0.567	0.569	0.569		
Г	1.174	1.184		1277	1-178	1,180	1-180		
М	1.365	1.375		1368	1.368	1-367	1.367		
N	2.495	2.505		2495	26495	2.494	2-495		
0	4.119	4.129		4.120	14.131	4.122	4,120		
Р	0.115	0.135		0.127	0-126	0.126	0-127		
Q	0.115	0.135		6.135	0-135	0.135	0.135		
R	0.240	0.260		0-254	0-055	0.254	0.253		•
S	0.115	0.135		0119	0-159	0.119	0.119		
Т	0.178	0.198		5.1828	0.188	0.188	0-188		
U	3.210	3.250		3. 230	3.23a 0.237	3.230	3-230		
V	0.230	0.250		0.236	0.237	0.833	0.734		
W	0.115	0.135		0.126	0~127	0.125	0.124		
Χ	0.308	0.313		0.310	0.3/0	0.316	0.310		
Υ	0.760	0.765		0.765	0.765		0.364		
Z	0.352	0.372		0.369	0.364	0.365	0.364		
AA	0.470	0.530		0.500	0.500	0.500	0-505		
AB	0.615	0.635		0.626	0.624	0.622	0-621		
AC	0.053	0.073		0063	0.063	0.919	0.063		
AD	0.240	0.260		0.242	146.0		0-243		
AE	1.500	1.520		1516	1.513	1.511	1.512		
AF	0.115	0.135		0-135	5/35	0-135	0135		
AG	0.240	0.280		0-260		6.266	0.260		
ΑЫ	0.240	0.260		0.240	0.341	6.248	146.0		
Al	2.000	2.020		2.005	2003	2.001	2.002		
ΑJ	0.023	0.043		0.030	0-030	0.030	0.030		
	Acc	ept/Reje	ct		4				

Measured by: 6/15.6	Audited by	me
Date: 06/07/06	Date:	06/07/10

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	-1
E	05.12.05	Added dimension AJ	KJ/JLM 🚓	Cill
				·

DART AEROSPACE LTD	Work Order:	27763
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

•				Recorded Actual Dimensions				•	
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0-440	0-440	0-440	0-440		
В	1.745	1.755		1.748	1.747	1-748	1.748		
С	3.495	3.505		\$ 3.499	3-499	3-501	3-566		
D	1.745	1.755		1,748	1.748	1.748	1-748		
E	7.990	8.010		8-001	8-000	8,000	8.001		
F	0.490	0.510		0.500	0.499	0.499	0.501		
G	0.257	0.262	DT8683	0.258	0-258	0 , 258	0-258		
H	0.375	0.380	DT8684	6 -376	0-376	0-376	0-376		
ı	0.490	0.510		0.561	0.499	6-501	0-501		
J	1.174	1.184		1,180	1.180	1.179	1.179		
K	0.558	0.578		0-967	0-569	0.569	0.569		
L	1.174	1.184		1,180	1.180	1.179	1.179		
M	1.365	1.375		1.370	1.371	1.371	1.371		
N	2.495	2.505		2.501	2.499	2-499	2-498		
.0	4.119	4.129		4,124	0.123	4-194	4-190		
Р	0.115	0.135		0.138		0.126	0-127		
Q	0.115	0.135		161-0	0-121	0.192	0-124		
R	0.240	0.260		0-251	0-252	0-929	0-251		
S	0.115	0.135		0.124		0-124	0.104	,	
Т	0.178	0.198		881.0	0.188	881.0	0-188		
U	3.210	3.250		3-230	3-23 i	3.236	3-23)		
V	0.230	0.250		0-241	0.241	0-242	0.244		
W	0.115	0.135		0,129	0.198	0.127	0-127		
Χ	0.308	0.313		0.310	0.310	0.310	0-369		
Υ	0.760	0.765		0.761	0.761	0.761	0.761		
Z	0.352	0.372		0-364	0-363	0.364	0-364		
AA	0.470	0.530		0.500	0-500		0.500		
AB	0.615	0.635		0-624	0-600	0-623	0-624		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0-244	6.244	0.744	0-244		
AE	1.500	1.520		1.512	1-51)	1-510	1-511		
AF_	0.115	0.135			0.131	6.132	0.137	ļļ	-
AG	0.240	0.280		0-249	6.947	6.247	0.249		
AH	0.240	0.260	···	0-251	6.252	0.253	6.253		
Al	2.000	2.020		2.001	800.6	3,000	8.000		
AJ	0.023	0.043		0.033	0-033	0-033	0.033		
	Acc	ept/Reje	ct						

Measured by: 5.6	Audited by	Int
Date: 06/07/07	Date:	06/07/10

Rev	Date Change		Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF , ,	1
Е	05.12.05	Added dimension AJ	KJ/JLM a	Gul

